

# Ultimate

Switch and socket plates made from stainless steel, with the most stylish finishes offered on the market today. Available in almost any painted colour or premium finish such as stainless steel, polished chrome, bronze, brass and black or pearl nickel. The super low-profile metal switch plates have no exposed screws for a smooth and sleek appearance.



Luxurious looking metal plates with wide selection of finishes



Compatible with our versatile Icon modules




Double earth terminals for safer sockets




1.2mm super slim profile face plate that is both compact and sleek





G251A-BCGO  
10A 1 Gang 1 Way Large Rocker Switch



G8513SD-WSS  
13A 2 Gang Switched Socket



G8513SUSB-BCGO  
13A 1 Gang Switched Socket with 2A USB Power



G6-2KT-BBZ  
20A 100-240V Keycard switch with time delay



G811USBA-WSS  
1 Gang 2A USB Power Charger



GC-AL-BPB 3A Alarm Switch

T&J now manufactures a completely new option for alarm controls in buildings. Just turn the key and press the red button to trigger the alarm. Press the button again to switch off the alarm. This product is also available in our Titanium, Classy, Deco and Radiance switch plate designs.






















G2C-DMB-WPN  
4A Bell Switch with "Do Not Disturb"  
+ "Make Up Room" indicator



G801-TV - BPG  
1 Gang TV Socket with surge protection



| Switches  |   |   |   |
|---|---|---|---|
| Product   | Model No.                                       | Description   | Remarks   |
|    | G251<br>G251-2<br>G221<br>G2515<br>G220<br>G232 | 10A 1 Gang 1 Way Switch<br>10A 1 Gang 2 Way Switch<br>10A 1 Gang 2 Way Shutter Switch<br>10A 1 Gang Intermediate Switch<br>20A 1 Gang DP Switch<br>32A 1 Gang DP Switch | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|    | G220L<br>G232L                                  | 20A 1 Gang DP Switch with neon<br>32A 1 Gang DP Switch with neon  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|    | G222  | 6A 1 Gang 2 Way Shutter Switch  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|    | G220FO<br>G232FO                                | 20A 1 Gang DP Switch with flex outlet<br>32A 1 Gang DP Switch with flex outlet  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|    | G220LFO<br>G232LFO                              | 20A 1 Gang DP Switch with flex outlet + neon<br>32A 1 Gang DP Switch with flex outlet + neon  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|   | G245D   | 45A 1 Gang DP Switch (146 type)   | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |
|  | G245DL  | 45A 1 Gang DP Switch with neon (146 type)   | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |
|  | G252<br>G252-2                                  | 10A 2 Gang 1 Way Switch<br>10A 2 Gang 2 Way Switch  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|  | G253<br>G253-2<br>G2203<br>G2203-2              | 10A 3 Gang 1 Way Switch<br>10A 3 Gang 2 Way Switch<br>20A 3 Gang 1 Way Switch<br>20A 3 Gang 2 Way Switch  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|  | G254<br>G254-2                                  | 10A 4 Gang 1 Way Switch<br>10A 4 Gang 2 Way Switch  | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|  | G256<br>G256-2                                  | 10A 6 Gang 1 Way Switch<br>10A 6 Gang 2 Way Switch  | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |

| Switches  |  |   |   |
|---|--|---|---|
| Product   | Model No.                                    | Description   | Remarks   |
|    | G201<br>G201-2<br>G2061<br>G2061-2<br>G2130A | 10A 1 Gang 1 Way Toggle Switch<br>10A 1 Gang 2 Way Toggle Switch<br>10A 1 Gang 1 Way Retractive Toggle Switch<br>10A 1 Gang 2 Way Retractive Toggle Switch<br>10A 1 Gang Intermediate Toggle Switch | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|    | G202<br>G202-2<br>G2062<br>G2062-2           | 10A 2 Gang 1 Way Toggle Switch<br>10A 2 Gang 2 Way Toggle Switch<br>10A 2 Gang 1 Way Retractive Toggle Switch<br>10A 2 Gang 2 Way Retractive Toggle Switch  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|    | G203<br>G203-2<br>G2063<br>G2063-2           | 10A 3 Gang 1 Way Toggle Switch<br>10A 3 Gang 2 Way Toggle Switch<br>10A 3 Gang 1 Way Retractive Toggle Switch<br>10A 3 Gang 2 Way Retractive Toggle Switch  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|    | G204<br>G204-2                               | 10A 4 Gang 1 Way Toggle Switch<br>10A 4 Gang 2 Way Toggle Switch  | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|  | G251A  | 10A 1 Gang 1 Way Large Rocker Switch  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|  | G252A  | 10A 2 Gang 1 Way Large Rocker Switch  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|  | G2548  | 45A Cooker Control Unit + 13A Switched Socket   | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |
|  | G2548L                                       | 45A Cooker Control Unit + 13A Switched Socket with neon   | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |

| Retractive Switches |                  |  |   |
|---------------------|------------------|--|---|
| Product             | Model No.        | Description  | Remarks   |
|                     | G2510            | 10A 1 Gang Bell Switch   | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|                     | G2517            | 10A 1 Gang Fan Switch  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|                     | G2561<br>G2561-2 | 10A 1 Gang 1 Way Retractive Switch<br>10A 1 Gang 2 Way Retractive Switch | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|                     | G2562<br>G2562-2 | 10A 2 Gang 1 Way Retractive Switch<br>10A 2 Gang 2 Way Retractive Switch | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|                     | G2563<br>G2563-2 | 10A 3 Gang 1 Way Retractive Switch<br>10A 3 Gang 2 Way Retractive Switch | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|                     | G2564<br>G2564-2 | 10A 4 Gang 1 Way Retractive Switch<br>10A 4 Gang 2 Way Retractive Switch | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|                     | G2566            | 10A 6 Gang 1 Way Retractive Switch                                       | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|                     | G2561A           | 10A 1 Gang 1 Way Retractive Switch with LED indicator                    | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|                     | G2562A           | 10A 2 Gang 1 Way Retractive Switch with LED indicator                    | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |

| Dimmers |  |  |  |
|---------|--|--|--|
| Product | Model No.  | Description  | Remarks  |
|         | G2521-250<br>G2521-2-250<br>G2521-400<br>G2521-2-400 | 250W 230V 1 Gang 1 Way Dimmer (rotate on / off)<br>250W 230V 1 Gang 2 Way Dimmer (push on / off)<br>400W 230V 1 Gang 1 Way Dimmer (rotate on / off)<br>400W 230V 1 Gang 2 Way Dimmer (push on / off) | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1<br>Only for use with incandescent lamps |

| Dimmers |  |  |   |
|---------|--|--|---|
| Product | Model No.  | Description  | Remarks   |
|         | G2522-250<br>G2522-2-250<br>G2522-400<br>G2522-2-400 | 250W 230V 2 Gang 1 Way Dimmer (rotate on / off)<br>250W 230V 2 Gang 2 Way Dimmer (push on / off)<br>400W 230V 2 Gang 1 Way Dimmer (rotate on / off)<br>400W 230V 2 Gang 2 Way Dimmer (push on / off) | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1<br>Only for use with incandescent lamps  |
|         | G2523-250<br>G2523-2-250<br>G2523-400<br>G2523-2-400 | 250W 230V 3 Gang 1 Way Dimmer (rotate on / off)<br>250W 230V 3 Gang 2 Way Dimmer (push on / off)<br>400W 230V 3 Gang 1 Way Dimmer (rotate on / off)<br>400W 230V 3 Gang 2 Way Dimmer (push on / off) | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1<br>Only for use with incandescent lamps |
|         | G2524-250<br>G2524-2-250<br>G2524-400<br>G2524-2-400 | 250W 230V 4 Gang 1 Way Dimmer (rotate on / off)<br>250W 230V 4 Gang 2 Way Dimmer (push on / off)<br>400W 230V 4 Gang 1 Way Dimmer (rotate on / off)<br>400W 230V 4 Gang 2 Way Dimmer (push on / off) | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1<br>Only for use with incandescent lamps |
|         | G211-M2<br>G211-1KM2                                 | 630W 230V 1 Gang Dimmer (rotate on / off)<br>1000W 230V 1 Gang Dimmer (rotate on / off)  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1<br>Only for use with incandescent lamps  |

| Fan Controls |                            |  |   |
|--------------|----------------------------|--|---|
| Product      | Model No.                  | Description  | Remarks   |
|              | G211-M3                    | 400VA 230V 1 Gang Fan Control (rotate on / off)  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1<br>Only for use with fans  |
|              | G2521-LV250<br>G2521-LV400 | 250VA 230V 1 Gang Fan Control (rotate on / off)<br>400VA 230V 1 Gang Fan Control (rotate on / off) | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1<br>Only for use with fans  |
|              | G2522-LV250<br>G2522-LV400 | 250VA 230V 2 Gang Fan Control (rotate on / off)<br>400VA 230V 2 Gang Fan Control (rotate on / off) | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1<br>Only for use with fans  |
|              | G2523-LV250<br>G2523-LV400 | 250VA 230V 3 Gang Fan Control (rotate on / off)<br>400VA 230V 3 Gang Fan Control (rotate on / off) | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1<br>Only for use with fans |
|              | G2524-LV250<br>G2524-LV400 | 250VA 230V 4 Gang Fan Control (rotate on / off)<br>400VA 230V 4 Gang Fan Control (rotate on / off) | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1<br>Only for use with fans |

| Fan Controls |           |  |  |
|--------------|-----------|--|--|
| Product      | Model No. | Description  | Remarks  |
|              | G2-M4     | 2A 230V 1 Gang Electronic Fan Control with speed indicator | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1<br>For fan speed control of central A/C |

| BS Sockets |  |  |   |
|------------|--|--|---|
| Product    | Model No.  | Description  | Remarks   |
|            | G8502  | 2A 1 Gang Unswitched Socket  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|            | G8505  | 5A 1 Gang Unswitched Socket  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|            | G8513  | 13A 1 Gang Unswitched Socket   | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|            | G8513S<br>G8513S-DP                                    | 13A 1 Gang Switched Socket<br>13A 1 Gang DP Switched Socket  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|            | G8513SL<br>G8513SL-DP                                  | 13A 1 Gang Switched Socket with neon<br>13A 1 Gang DP Switched Socket with neon  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|            | G8513D   | 13A 2 Gang Unswitched Socket   | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|            | G8513SD<br>G8513SD-DP                                  | 13A 2 Gang Switched Socket<br>13A 2 Gang DP Switched Socket  | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|            | G8513SDL<br>G8513SDL-DP                                | 13A 2 Gang Switched Socket with neon<br>13A 2 Gang DP Switched Socket with neon  | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|            | G8523SD-DP<br>G8523SDA-DP<br>G8533SD-DP<br>G8533SDA-DP | 13A 2 Gang DP Switched Socket<br>13A 2 Gang DP Switched Socket (T-shaped earth terminal)<br>13A 2 Gang DP Switched Socket (independent earth terminal)<br>13A 2 Gang DP Switched Socket (T-shaped, independent earth terminal) | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |

| BS Sockets |                   |  |  |
|------------|-------------------|--|--|
| Product    | Model No.         | Description  | Remarks  |
|            | G8515S<br>G8515SL | 15A 1 Gang Switched Socket<br>15A 1 Gang Switched Socket with neon | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |

| Schuko Sockets |           |  |  |
|----------------|-----------|--|--|
| Product        | Model No. | Description                            | Remarks  |
|                | G827      | 16A 1 Gang 2 Pin + Earth German Socket | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 47 mm<br>Pack (carton / box): 50 / 1 |
|                | G8116V    | 16A 250V 2Pin + Earth French Socket    | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 47 mm<br>Pack (carton / box): 50 / 1 |

| American Sockets |           |   |  |
|------------------|-----------|---|--|
| Product          | Model No. | Description                                   | Remarks  |
|                  | G8415V    | 15A 127V 1 Gang 2 Pin + Earth American Socket | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 47 mm<br>Pack (carton / box): 50 / 1 |

| Swiss Sockets |           |                         |  |
|---------------|-----------|-------------------------|--|
| Product       | Model No. | Description             | Remarks  |
|               | G8110CH   | 10A 1 Gang Swiss Socket | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |

| Universal Sockets |           |  |  |
|-------------------|-----------|--|--|
| Product           | Model No. | Description  | Remarks  |
|                   | G818S     | 13A 1 Gang 2 Pin + Earth Switched Universal Socket | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|                   | G810U2    | 10A 2 Gang 2 Pin Socket                            | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|                   | G810U     | 16A 2 Gang 2 Pin Socket                            | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |

| Multimedia Products |           |  |  |
|---------------------|-----------|--|--|
| Product             | Model No. | Description  | Remarks  |
|                     | G8318USB  | 13A 1 Gang 3 Pin Universal Socket with 2A USB          | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |
|                     | G8318SUSB | 13A 1 Gang 3 Pin Switched Universal Socket with 2A USB | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |

| Audio and Video Products |           |                                     |  |
|--------------------------|-----------|-------------------------------------|--|
| Product                  | Model No. | Description                         | Remarks  |
|                          | G801-SB   | 1 Gang Speaker Socket (banana jack) | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|                          | G802-SB   | 2 Gang Speaker Socket (banana jack) | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |

| Multimedia Products |           |                             |  |
|---------------------|-----------|-----------------------------|--|
| Product             | Model No. | Description                 | Remarks  |
|                     | G811USB   | 1 Gang 2A USB Power Charger | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |
|                     | G812USB   | 2 Gang 2A USB Power Charger | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |
|                     | G811USBA  | 1 Gang 2A USB Power Charger | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |
|                     | G812USBA  | 2 Gang 2A USB Power Charger | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |

| Electronic Switches |           |  |  |
|---------------------|-----------|--|--|
| Product             | Model No. | Description  | Remarks  |
|                     | G2-LIR    | 500W 230V IR Motion Detector with fire control outlet                  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1   |
|                     | G2-LSC*   | 500W 230V Voice Activated Switch with time delay + fire control outlet | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1<br>Only for use with incandescent lamps and resistive loads* |

| Hotel Products |                                      |   |   |
|----------------|--------------------------------------|---|---|
| Product        | Model No.                            | Description   | Remarks   |
|                | G2-AL                                | 3A Alarm  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|                | G2700                                | 1W 220V Floor Lamp  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|                | G2C-DMB                              | 4A Bell Switch with "Do Not Disturb" + "Make Up Room" indicator   | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1  |
|                | G2C-DM                               | "Do Not Disturb" + "Make Up Room" Indicator   | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1  |
|                | G828                                 | 115/230V Shaver Socket with overcurrent protection (max 20VA)   | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 47 mm<br>Pack (carton / box): 20 / 1 |
|                | G6-2KT<br>G8-KT9<br>G9-2KT<br>G9-KT9 | 20A 100-240V Keycard switch with time delay<br>10A 9-24V Low frequency RFID Keycard switch with time delay, Low voltage, Dry-contact output<br>20A 100-240V High frequency RFID Keycard switch with time delay<br>10A 9-24V High frequency RFID Keycard switch with time delay, Low voltage, Dry-contact output | Nominal plate size: 86x86mm<br>Minimum wall box depth: 40mm<br>Pack (carton/box): 50/5        |

## Other Products and Accessories

| Product | Model No. | Description           | Remarks   |
|---------|-----------|-----------------------|---|
|         | G1111     | With Mounting Bracket | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1  |
|         | G1111D    | With Mounting Bracket | Nominal plate size: 146×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |

## Other Products and Accessories

| Product | Model No. | Description                                  | Remarks  |
|---------|-----------|--|--|
|         | G6813F    | 13A Fused Connection Unit                    | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|         | G6813FL   | 13A Fused Connection Unit with neon          | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|         | G6813FS   | 13A Switched Fused Connection Unit           | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|         | G6813FSL  | 13A Switched Fused Connection Unit with neon | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|         | G6813FFO  | 13A Fused Connection Unit with flex outlet   | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |

## Audio and Video Products

| Product | Model No. | Description          | Remarks  |
|---------|-----------|----------------------|--|
|         | G2-V      | 1 Gang Volume Switch | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |

## Television Sockets

| Product | Model No. | Description      | Remarks  |
|---------|-----------|------------------|--|
|         | G8541     | 1 Gang TV Socket | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|         | G8512     | 2 Gang TV Socket | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |

## Television Sockets

| Product | Model No.          | Description   | Remarks  |
|---------|--------------------|---|--|
|         | G8511              | 1 Gang TV Socket  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|         | G8509              | 1 Gang Sat. TV Socket   | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|         | G801-TV<br>G801TVO | 1 Gang TV Socket with surge protection<br>1 Gang TV Socket with 1 branch output<br>+ surge protection | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|         | G802TV             | 2 Gang TV Socket with surge protection  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|         | G803TV             | 2 Gang TV Socket with surge protection (2 input 2 output)   | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|         | G802TV-FM          | 1 Gang TV with surge protection + FM Socket   | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|         | G8514              | 1 Gang Sat. TV + TV Socket  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |




| Television Sockets |           |   |  |
|--------------------|-----------|---|--|
| Product            | Model No. | Description                                     | Remarks  |
|                    | G8542     | 1 Gang TV + FM Socket                           | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |
|                    | G802ETV   | 2 Gang Sat. TV Socket                           | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|                    | G8543     | 1 Gang Triplex Socket (Sat+TV+FM)               | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 50 / 1 |
|                    | G898      | Audio RCA Socket + Earphone Socket (3.5mm jack) | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 35 mm<br>Pack (carton / box): 16 / 1 |


| Telecommunication Products |                                 |  |  |
|----------------------------|---------------------------------|--|--|
| Product                    | Model No.                       | Description  | Remarks  |
|                            | G801-4TU<br>G801-6TU            | 1 Gang RJ11 Telephone Socket (4 Pin)<br>1 Gang RJ12 Telephone Socket (6 Pin)   | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|                            | G801-PC<br>G811-PC<br>G831-PC   | 1 Gang RJ45 Cat.5e Data Socket<br>1 Gang RJ45 Cat.6 Data Socket<br>1 Gang RJ45 Cat.6A Data Socket                                      | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|                            | G801-TM<br>G801-TS              | 1 Gang BT Master Telephone Socket<br>1 Gang BT Secondary Telephone Socket  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|                            | G802-4TU<br>G802-6TU<br>G804-PC | 2 Gang RJ11 Telephone Socket (4 Pin, 2 input 2 output)<br>2 Gang RJ12 Telephone Socket (6 Pin)<br>2 Gang RJ12 Telephone Socket (6 Pin) | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|                            | G802-PC<br>G812-PC              | 2 Gang RJ45 Cat.5e Data Socket<br>2 Gang RJ45 Cat.6 Data Socket  | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |

| Telecommunication Products |            |  |  |
|----------------------------|------------|--|--|
| Product                    | Model No.  | Description  | Remarks  |
|                            | G801PC-4TU | 1 Gang RJ45 Cat.5e Data Socket + RJ11 Telephone Socket (4 Pin) | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |

| Other Products and Accessories |            |  |  |
|--------------------------------|------------|--|--|
| Product                        | Model No.  | Description  | Remarks  |
|                                | G6813FLFO  | 13A Fused Connection Unit with flex outlet + neon          | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|                                | G6813FSLFO | 13A Switched Fused Connection Unit with flex outlet + neon | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |
|                                | G1221      | 2 Gang Frame With Mounting Bracket                         | Nominal plate size: 86×86 mm<br>Minimum wall box depth: 25 mm<br>Pack (carton / box): 50 / 1 |



## Product Code Rules



## Available Options<sup>1</sup>

| 1          |                 | 2              |       | 3        |  | 4                 |  | 5            |  | 6               |          |
|------------|-----------------|----------------|-------|----------|--|-------------------|--|--------------|--|-----------------|----------|
| <b>SS</b>  | Stainless Steel | <b>B</b>       |       | <b>2</b> |  | <b>3</b>          |  | <b>20/23</b> |  | <b>CM</b>       | <b>B</b> |
| <b>PB</b>  | Polished Brass  | Black Interior | 2 Way | 3 Gang   |  | Toggle Switch     |  | Colossal     |  | Alpine/Exclusif |          |
| <b>PC</b>  | Polished Chrome | <b>W</b>       | Blank | <b>1</b> |  | <b>262/27/21</b>  |  | <b>G</b>     |  | <b>E</b>        |          |
| <b>BN</b>  | Black Nickel    | White Interior | 1 Way | 1 Gang   |  | Dimmer Switch     |  | Ultimate     |  | Unique          |          |
| <b>BZ</b>  | Bronze          |                |       | <b>2</b> |  | <b>25</b>         |  | <b>GC</b>    |  | <b>M</b>        |          |
| <b>MBR</b> | Matt Brass      |                |       | 2 Gang   |  | Normal Switch     |  | Titanium     |  | Metalclad       |          |
| <b>PN</b>  | Pearl Nickel    |                |       | <b>4</b> |  | <b>256</b>        |  | <b>DK</b>    |  | <b>P</b>        |          |
| <b>PG</b>  | Pearl Gold      |                |       | 4 Gang   |  | Retractive Switch |  | Radiance     |  | Armor           |          |
|            |                 |                |       |          |  |                   |  | <b>R</b>     |  |                 |          |
|            |                 |                |       |          |  |                   |  | Classy       |  |                 |          |

<sup>1</sup>Notes:  
 Standard colours:PB,PC,SS,MBR,BN,PN  
 Non-standard colours:PG, BZ  
 For standard colour lead time is up to 45 days.

### Notes:

- \*All illustrations and descriptions are only for guidance.
- \*The colours and product photos you see in this brochure may vary from the actual products.
- \*All T&J products/colours can be customised to satisfy the unique demand of the widest possible range of end-users.
- \*T&J Electric reserves the right to change specifications and designs without notice.
- \*Use dry soft cloth to clean the surface of the products, cleaning agents may damage the finish.